

VINTEC



WWW.VINTEC.HK



濕度 HUMIDITY

High humidity will cause molds whereas low humidity will cause corks to dry out. Vintec wine cellars are equipped with a system that recycles water from condensation, ensuring ideal humidity conditions for your wine.

濕度太高會造成發霉，過低則會令酒塞變乾。Vintec酒櫃配備之濕度調節系統可將凝結水份循環再用，確保為佳釀提供理想之濕度。



溫度 TEMPERATURE

All wines mature at the same temperature, which is a constant temperature set between 12°C to 14°C. Vintec presents a wide range of wine cellars offering single, dual and multi-temperature models to meet your cellaring needs.

長期儲存酒釀作陳年的最佳儲存溫度是攝氏十二至十四度。全線Vintec備有多種款式酒櫃，包括單、雙及多重恆溫選擇，滿足您的存酒需要。



防紫外線 UV PROTECTION

Light and UV rays rapidly destroy your wines by oxidising the tannins. Vintec wine cellars safeguard your fine wines from harmful light and UV rays with solid plain door or anti-UV treated glass door options.

Vintec酒櫃備有實門及防紫外線玻璃門選擇，確保您的佳釀免受光線/紫外線照射，防止酒中的單寧酸成份受氧化而破壞酒質。

防震 VIBRATION-FREE

Slow, balanced-cycle compressors and wooden shelves are equipped in the Vintec wine cellars, to reduce vibration to the minimum.

Vintec酒櫃採用低速平衡壓縮機和穩固木架，有效提供全面的防震功能。

天然通風 NATURAL VENTILATION

In order to prevent mould growth, which would generate bad odour and risk deteriorating the corks, Vintec provides a natural permanent ventilation, introducing renewed air from the ambience into the cellar through an "air circulation" effect.

Vintec酒櫃具有天然通風功能，其通風設計確保新鮮空氣能經通風口流進酒櫃，使櫃內空氣流通，以防止霉菌滋生、異味產生、甚至瓶塞腐壞等問題。



THE QUALITY OF THE MATERIALS, THE INNOVATIVE TECHNOLOGY AND THE CONTEMPORARY DESIGN MAKE VINTEC WINE CELLARS THE IDEAL SOLUTION FOR SAFEGUARDING YOUR PRECIOUS COLLECTION.


時尚設計的VINTEC酒櫃以創新科技和優質物料為您的佳釀提供完美的恆溫儲存環境。



"I am totally delighted with my Vintec wine cabinet; it combines elegance and functionality of the highest order. Because it is surprisingly light, notwithstanding its size, it is easy to move should the need arise, and installing it is little more than plugging it into a conventional power outlet. The ability to have wines stored at two temperatures is extraordinary, allowing you to keep red wines at optimum temperatures for service throughout the summer, and - of course - white wines at a much lower temperature."

JAMES HALLIDAY

- Australian wine writer, critic & panelist





NOIR

Borderless Black Glass

BUILT UNDER 嵌入式

VWSO2OSBA-X 18



SINGLE °C

Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種R600a



Equipped with Lock
(Hexagonal Key)
配備門鎖 (六角匙)



Double Layer
Glass Door
雙層玻璃門



Crystal White LED Light
白光LED櫃燈


• Electronic Control
電子按鍵式控制

• Security Thermostat
冷凍安全恆溫器

• Reversible Door Hinge
可左右調換門鉸

• Compressor System
壓縮機恆溫系統

Model 型號	VWSO2OSBA-X
Capacity 容量	18 bottles 瓶
Adjustable temperature 可調校溫度	6°C-18°C
No. of wooden shelves 層架	6
Dimensions 體積 (H高 x W闊 x D深 mm毫米)	820 x 295 x 561



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

BUILT UNDER 嵌入式

VWS050SBA-X 40



SINGLE °C

Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒

VWD050SBA-X 40



DUAL °C

Dual Temperature Zone
for aging and serving purposes
雙重溫度適宜陳釀及品嚐美酒



Borderless Black
Glass Door
黑色無邊玻璃門



Easily Adjustable
Wooden Shelves
易拆式木層架

- Electronic Control
電子按鍵式控制



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Reversible Door Hinge
可左右調換門鉸


- Compressor System
壓縮機恆溫系統




Equipped with Lock
(Hexagonal Key)
配備門鎖(六角匙)



Crystal White LED Light
白光 LED 櫃燈



Model 型號	VWS050SBA-X	VWD050SBA-X
Capacity 容量	40 bottles 瓶	40 bottles 瓶
Adjustable temperature 可調校溫度	6°C-18°C	upper 上格: 6°C-12°C lower 下格: 12°C-18°C
No. of wooden shelves 層架	5	4
Dimensions 體積 (H 高 x W 闊 x D 深 mm 毫米)	820 x 595 x 561	820 x 595 x 561



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

SEAMLESS

STAINLESS STEEL

BUILT UNDER 嵌入式

VWS050SSA-X 40



Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒

SINGLE °C



Glass Door with Seamless
Stainless Steel Frame
玻璃門配無縫不銹鋼門框



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Reversible Door Hinge
可左右調換門鉸





Crystal White LED Light
白光 LED 櫃燈



Equipped with Lock
(Hexagonal Key)
配備門鎖(六角匙)

- Electronic Control
電子按鍵式控制
- LED Temperature Display
LED 溫度顯示屏
- Compressor System
壓縮機恆溫系統



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit: in mm
量度單位為毫米

Model 型號	VWS050SSA-X
Capacity 容量	40 bottles 瓶
Adjustable temperature 可調校溫度	6°C-18°C
No. of wooden shelves 層架	5
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	820 x 595 x 561

VWD154SSA-X  138

BUILT UNDER 嵌入式



Equipped with 13 sliding wooden shelves with stainless steel front
13層滑動式不銹鋼飾面木架



Dual Temperature Zone
for aging and serving purposes
雙重溫度適宜陳釀及品嘗美酒



Reversible Door Hinge
可左右調換門鉸



Glass Door with Seamless
Stainless Steel Frame
玻璃門配無縫不銹鋼門框



Crystal White LED Light
白光LED櫃燈




Eco Technology with
Refrigerant R600a
環保科技配合環保雪種R600a



Equipped with Lock
(Hexagonal Key)
配備門鎖(六角匙)

- Electronic Control
電子按鍵式控制
- LED Temperature Display
LED溫度顯示屏
- Compressor System
壓縮機恆溫系統

Model 型號	VWD154SSA-X
Capacity 容量	138 bottles 瓶
Adjustable temperature 可調校溫度	upper 上格: 5°C-18°C lower 下格: 5°C-18°C
No. of wooden shelves 層架	14
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	1762 x 595 x 680



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

allure SERIES

BUILT UNDER 嵌入式

VWS050SAA-X  40



Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒

SINGLE °C



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Crystal White LED Light
白光LED櫃燈



Double Layer Glass Door
雙層玻璃門





Easily Adjustable Wooden Shelves
易拆式木層架



Reversible Door Hinge
可左右調換門鉸

- Electronic Control
電子按鍵式控制
- LED Temperature Display
LED溫度顯示屏
- Compressor System
壓縮機恆溫系統



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit: in mm
量度單位為毫米

Model 型號	VWS050SAA-X
Capacity 容量	40 bottles 瓶
Adjustable temperature 可調校溫度	5°C-18°C
No. of wooden shelves 層架	5
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	820 x 595 x 571

VWM122SAA-X 90



made in Denmark 丹麥製造

VWM155SAA-X 120



made in Denmark 丹麥製造

IN-BUILT LED DIGITAL DISPLAY
(located at top of inner compartment)
內置LED顯示
(置於酒櫃內格頂部)



WOODEN SHELVES
實木層架



CARBON FILTER
活性炭過濾網



CRYSTAL WHITE LED LIGHT
白光LED櫃燈



INTEGRATED LOCK
門鎖



Single / Multi Temperature Zone
for aging or serving purpose
可調校單一或多重溫度適宜陳釀或
品嘗美酒

ONE/MULTI



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種R600a



Reversible Door Hinge
可左右調換門鉸



Security Thermostat
冷凍安全恆溫器



Monitor Alarm
故障警號




Child Lock
按鍵鎖



Double Layer Glass Door
雙層玻璃門

- Shelves Compatible for Upright Presentation
木架適合酒瓶垂直展示

Model 型號	VWM122SAA-X	VWM155SAA-X
Capacity 容量	90 bottles 瓶	120 bottles 瓶
Adjustable temperature 可調校溫度	Set 1 : 8°C-22°C Set 2 : 5°C-22°C	Set 1 : 8°C-22°C Set 2 : 5°C-22°C
No. of wooden shelves 層架	5	6
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	1550 x 595 x 595	1850 x 595 x 595



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

Classic SERIES

BUILT UNDER 嵌入式

VWSO35SCA-X  32

VWSO48SCA-X  48



Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種 R600a



Double Layer
Glass Door
雙層玻璃門




Crystal White
LED Light
白光 LED 櫃燈

- Electronic Control
電子按鍵式控制
- Reversible Door Hinge
可左右調換門鉸


- Security Thermostat
冷凍安全恆溫器
- Compressor System
壓縮機恆溫系統

Model 型號	VWSO35SCA-X	VWSO48SCA-X
Capacity 容量	32 bottles 瓶	48 bottles 瓶
Adjustable temperature 可調校溫度	6°C-18°C	5°C-18°C
No. of wooden shelves 層架	4	4
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	840 x 493 x 588	875 x 605 x 605

VWSO35SCA-X



VWSO48SCA-X



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

BUILT UNDER 嵌入式

VWS165SCA-X  148VWS121SCA-X  108

Single Temperature Zone
for aging purpose
單一溫度適宜陳釀美酒

SINGLE °C



Eco Technology with
Refrigerant R600a
環保科技配合環保雪種R600a



Crystal White LED Light
白光 LED 櫃燈



Reversible Door Hinge
可左右調換門鉸



Equipped with Lock
(Hexagonal Key)
配備門鎖 (六角匙)



Double Layer Glass Door
雙層玻璃門


• Electronic Control
電子按鍵式控制

• LED Temperature Display
LED 溫度顯示屏

• Compressor System
壓縮機恆溫系統

• Sliding Wooden Shelves
滑動式木層架

Model 型號	VWS121SCA-X	VWS165SCA-X
Capacity 容量	108 bottles 瓶	148 bottles 瓶
Adjustable temperature 可調校溫度	6°C-18°C	6°C-18°C
No. of wooden shelves 層架	11	15
Dimensions 體積 (H高 x W闊 x D深 mm 毫米)	1389 x 595 x 680	1762 x 595 x 680



Purple space indicates air ventilation
紫色部份是所需散熱空間
Measurement unit in mm
量度單位為毫米

SPECIFICATIONS 規格

NOIR BORDERLESS BLACK GLASS DOOR	VWS020SBA-X	VWS050SBA-X	VWD050SBA-X
Temperature Setting 溫度控制	Electronic 電子按鍵式	Electronic 電子按鍵式	Electronic 電子按鍵式
LED Display LED 顯示	✓	✓	✓
Reversible Door Hinge 左 / 右門鉸*	✓	✓	✓
Built Under 嵌入式	✓	✓	✓
Capacity 容量**	18 bottles 瓶	40 bottles 瓶	40 bottles 瓶
Adjustable Temperature 可調校溫度	6°C-18°C	6°C-18°C	upper 上格: 6°C-12°C lower 下格: 12°C-18°C
No. of Wooden Shelves 層格	6	5	4
Dimensions 體積: H 高 x W 闊 x D 深 (mm 毫米)	820 x 295 x 561	820 x 595 x 561	820 x 595 x 561
Weight 重量	28 kg 公斤	47 kg 公斤	47 kg 公斤

SEAMLESS STAINLESS STEEL	VWS050SSA-X	VWD154SSA-X
Temperature Setting 溫度控制	Electronic 電子按鍵式	Electronic 電子按鍵式
LED Display LED 顯示	✓	✓
Reversible Door Hinge 左 / 右門鉸*	✓	✓
Built Under 嵌入式	✓	✓
Capacity 容量**	40 bottles 瓶	138 bottles 瓶
Adjustable Temperature 可調校溫度	6°C-18°C	upper 上格: 5°C-18°C lower 下格: 5°C-18°C
No. of Wooden Shelves 層格	5	14
Dimensions 體積: H 高 x W 闊 x D 深 (mm 毫米)	820 x 595 x 561	1762 x 595 x 680
Weight 重量	47 kg 公斤	114 kg 公斤

ALLURE SERIES	VWS050SAA-X	VWM122SAA-X	VWM155SAA-X
Temperature Setting 溫度控制	Electronic 電子按鍵式	Electronic 電子按鍵式	Electronic 電子按鍵式
LED Display LED 顯示	✓	✓	✓
Reversible Door Hinge 左 / 右門鉸*	✓	✓	✓
Built Under 嵌入式	✓	—	—
Capacity 容量**	40 bottles 瓶	90 bottles 瓶	120 bottles 瓶
Adjustable Temperature 可調校溫度	5°C-18°C	Set 1: 8°C-22°C Set 2: 5°C-22°C	Set 1: 8°C-22°C Set 2: 5°C-22°C
No. of Wooden Shelves 層格	5	5	6
Dimensions 體積: H 高 x W 闊 x D 深 (mm 毫米)	820 x 595 x 571	1550 x 595 x 595	1850 x 595 x 595
Weight 重量	45 kg 公斤	71 kg 公斤	83 kg 公斤

* Preference of door hinge position (left/right) must be confirmed upon ordering.

* 請於購買時選定門鉸位置(左/右)。

** Capacity is based on Bordeaux type bottle 0.75 litre and subject to the number of shelves and display pattern.

** 容量以波爾多種類 0.75 公升的酒瓶為準，並因應層架數目及擺放方法而異。

Actual colour may vary slightly from those shown.

實際顏色可能會有差異。

CLASSIC SERIES	VWS035SCA-X	VWS048SCA-X	VWS121SCA-X	VWS165SCA-X
Temperature Setting 溫度控制	Electronic 電子按鍵式	Electronic 電子按鍵式	Electronic 電子按鍵式	Electronic 電子按鍵式
LED Display LED 顯示	✓	✓	✓	✓
Reversible Door Hinge 左 / 右門鉸*	✓	✓	✓	✓
Built Under 嵌入式	—	✓	✓	✓
Capacity 容量**	32 bottles 瓶	48 bottles 瓶	108 bottles 瓶	148 bottles 瓶
Adjustable Temperature 可調校溫度	6°C-18°C	5°C-18°C	6°C-18°C	6°C-18°C
No. of Wooden Shelves 層格	4	4	11	15
Dimensions 體積: H 高 x W 闊 x D 深 (mm 毫米)	840 x 493 x 588	875 x 605 x 605	1389 x 595 x 680	1762 x 595 x 680
Weight 重量	40 kg 公斤	47 kg 公斤	93 kg 公斤	112 kg 公斤

Condensation on glass door is a natural phenomenon, especially when there is high humidity or vast temperature difference.

當溫度高或溫差太大時，玻璃門上會出現水珠或霧氣，此乃正常現象。

For specific models, condensation will form on the back panel for humidity preservation. Please ensure wine bottles do not touch the back panel of the wine cabinet.

個別型號酒櫃背板會有水滴形成以保持櫃內濕度。存放葡萄酒時，避免酒瓶接觸到背板，以免沾濕標籤。

This catalogue is for reference only. The product information is subject to manufacturer specifications.

本產品目錄只供參考，資料已經過細心核對，如有錯漏，以廠方生產的規格為準。

The design and specifications of the products may be modified without prior notice.

本公司保留更改產品設計及規格之權利，恕不另行通知。

In case of any dispute, Shun Hing Electronic Trading Co., Ltd. reserves the right of final decision.

如有任何爭議，信興電器貿易有限公司保留最終決定權。



SHUN HING GROUP
信興集團
SINCE 1953

Sole agent 總代理：

Hong Kong & Macau 香港及澳門

SHUN HING ELECTRONIC TRADING CO., LTD.

信興電器貿易有限公司

Tel. 電話：(852) 2833 0955

Parts Sales Hotline 零件部熱線：(852) 2406 5555

Service Hotline 維修服務熱線：(852) 2406 5666

Beijing 北京

Tel. 電話：(86) 10-6518 3860

Shanghai 上海

Tel. 電話：(86) 21-6375 6051

Shenzhen 深圳

Tel. 電話：(86) 755-8207 0914

Authorized Dealer's Stamp 特約經銷商：

VINTEC 5-2020